

Loughborough University
Institutional Repository

*Developing confidence in
automatic on-line
quantification of surface
defects*

This item was submitted to Loughborough University's Institutional Repository by the/an author.

Citation: TAILOR, M. ... et al, 2013. Developing confidence in automatic on-line quantification of surface defects. IN: Roy, R., Shaw, A. and Collins, E. (eds). Proceedings of the 2nd Annual EPSRC Manufacturing the Future Conference, 17th-18th September 2013, Cranfield University, pp. 33.

Additional Information:

- This is a conference paper.

Metadata Record: <https://dspace.lboro.ac.uk/2134/13273>

Version: Published

Publisher: The Engineering and Physical Sciences Research Council

Please cite the published version.

This item was submitted to Loughborough's Institutional Repository (<https://dspace.lboro.ac.uk/>) by the author and is made available under the following Creative Commons Licence conditions.



CC creative commons
COMMONS DEED

Attribution-NonCommercial-NoDerivs 2.5

You are free:

- to copy, distribute, display, and perform the work

Under the following conditions:

 **Attribution.** You must attribute the work in the manner specified by the author or licensor.

 **Noncommercial.** You may not use this work for commercial purposes.

 **No Derivative Works.** You may not alter, transform, or build upon this work.

- For any reuse or distribution, you must make clear to others the license terms of this work.
- Any of these conditions can be waived if you get permission from the copyright holder.

Your fair use and other rights are in no way affected by the above.

This is a human-readable summary of the [Legal Code \(the full license\)](#).

[Disclaimer](#) 

For the full text of this licence, please go to:
<http://creativecommons.org/licenses/by-nc-nd/2.5/>

MANUFACTURING THE FUTURE CONFERENCE 2013

Developing confidence in automatic on-line quantification of surface defects.

Mitul Tailor, Punnu Phairatt, Jon Petzing, Michael Jackson, Rob Parkin

EPSRC Centre for Innovative Manufacturing in Intelligent Automation, Wolfson School of Mechanical & Manufacturing Engineering, Loughborough University, Loughborough, UK, M.Tailor@lboro.ac.uk

Automatic surface defect inspection within mass production of high-precision components is growing in demand and requires better measurement and automated analysis systems. The aerospace and automotive industries may reject manufactured parts that exhibit even minor defects, because a defect might result in an operational failure at a later stage. Defect quantification (depth, area and volume) is a key element in quality assurance in order to determine the pass or failure criterion of manufactured parts. Existing human visual analysis of surface defects is qualitative and subjective. 3D analysis should provide a robust and systematic quantitative approach for defect measurement. Various 3D measuring instruments generate point cloud data as an output, although they work on different principles. Instrument's native software processing of point cloud data is often subject to issues of repeatability and may be non-traceable causing significant concern with data confidence.




Figure 1: Isolated defect softguage




Figure 2: Isolated real defect

A novel algorithm to quantify defects automatically in 3D has already been reported. However, it is important to validate the algorithm in order to build-up the confidence in automatic defect analysis system and generated data. The work reported here charts the development of a novel 3D defect softguage with known size geometry (Figure 1). The defect softguage is characterised using the novel algorithm and results are validated. Moreover, a standard and traceable real defect is generated using Vickers equipment on a flat surface, and is measured using coherence scanning interferometer and quantified using the novel algorithm (Figure 2). The results show that automatic surface defect quantification is efficient, robust and more repeatable than current alternative approaches, and traceability to the metre can be achieved.

Significance Statement: The significance of this work is to demonstrate confidence in high speed, repeatable, traceable and automated defect quantification system that ensures inspection quality in small time frames.